# Application for a Permit to Construct or Demolish This form is authorized under subsection 8(1.1) of the Building Code Act.

	For use by	Principa	I Authority			
Application number:	Permit number (if different):					
Date received:		Roll nur	mber:			
Application submitted to: THE COR (Name of municipal					FORT ERI	E
A. Project information						
Building number, street name					Unit number	Lot/con.
Municipality	Postal code		Plan number/	other des	cription	·
Project value est. \$			Area of work	(m²)		
B. Purpose of application						
New construction Addition t existing b		Altera	ation/repair		Demolition [	Conditional Permit
Proposed use of building	Curr	ent use of	<sup>t</sup> building			
Description of proposed work				_		
C. Applicant Applicant is:		[	Authorized			
Last name	First name		Corporation o	or partners	ship	
Street address					Unit number	Lot/con.
Municipality	Postal code		Province	E-mail		
Telephone number	Fax			Cell nu	mber	
D. Owner (if different from applicant)	•					
Last name	First name		Corporation o	or partners	ship	
Street address	1		1		Unit number	Lot/con.
Municipality	Postal code		Province	E-mail	1	1
Telephone number	Fax			Cell nu	mber	

E. Builder (optional)								
Last name	First name	Corporation or	r partners	hip (if a	applicable	)		
Street address		I		Unit r	number	L	.ot/con.	
Municipality	Postal code	Province	E-mail					
Telephone number	Fax	I	Cell nun	nber				
F. Tarion Warranty Corporation (Ontario	o New Home Warrant	y Program)	<b>I</b>					
i. Is proposed construction for a new hom <i>Plan Act</i> ? If no, go to section G.	ie as defined in the Onta	rio New Home V	Varranties	3		Yes		No
ii. Is registration required under the Ontar	io New Home Warranties	Plan Act?				Yes		No
iii. If yes to (ii) provide registration number	(s):						·	
G. Required Schedules								
i) Attach Schedule 1 for each individual who rev	views and takes responsi	bility for design a	activities.					
ii) Attach Schedule 2 where application is to con	struct on-site, install or re	pair a sewage s	system.					
H. Completeness and compliance with	applicable law							
<ul> <li>i) This application meets all the requirements o Building Code (the application is made in the applicable fields have been completed on the schedules are submitted).</li> <li>Payment has been made of all fees that are reference of the schedules are submitted.</li> </ul>	correct form and by the c application and required required, under the applic	owner or authori schedules, and able by-law, res	zed agent all requir	ed		Yes		No
regulation made under clause 7(1)(c) of the E is made.						Yes		No
ii) This application is accompanied by the plans resolution or regulation made under clause 7	(1)(b) of the Building Cod	le Act, 1992.	_			Yes		No
iii) This application is accompanied by the information and documents prescribed by the applicable by- law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act, 1992</i> which enable the chief building official to determine whether the proposed building, construction or demolition will contravene any applicable law.						No		
iv) The proposed building, construction or demol	ition will not contravene a	any applicable la	aw.			Yes		No
I. Declaration of applicant								
						decla	re that:	
(print name)								
<ol> <li>The information contained in this applic documentation is true to the best of my</li> <li>If the owner is a corporation or partners</li> </ol>	knowledge.	•	•			other	attached	
Date	Signature of a	applicant						

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.

## **Schedule 1: Designer Information**

Use one form for each individual who reviews and takes responsibility for design activities with respect to the project.

A. Project Information						
Building number, street name				Unit no.	Lot/con.	
Municipality	Postal code	Plan number/ othe	Plan number/ other description			
B. Individual who reviews and takes	responsibili	ty for design activ	vities			
Name	-	Firm				
Street address		I		Unit no.	Lot/con.	
Municipality	Postal code	Province	E-mail			
Telephone number	Fax number		Cell nur	mber		
C. Design activities undertaken by i Division C]	ndividual ide	ntified in Section	B. [Buil	Iding Code Tab	le 3.5.2.1. of	
	HVAC -	– House		Building St	tructural	
Small Buildings	Building	g Services		Plumbing -		
Large Buildings	Detecti	on, Lighting and Pow	/er	Plumbing -	– All Buildings	
Complex Buildings		otection		On-site Se	wage Systems	
Description of designer's work						
D. Declaration of Designer						
1			dec	clare that (choose	one as appropriate):	
(print name						
(print hand	•)					
I review and take responsibility C, of the Building Code. I am of Individual BCIN:	qualified, and th	e firm is registered, i				
Firm BCIN:						
I review and take responsibility under subsection 3.2.5.of Divis Individual BCIN:	sion C, of the B	uilding Code.	he approp	oriate category as	an "other designer"	
Basis for exemption from						
The design work is exempt fro Basis for exemption from	•		•	-		
I certify that:	-					
1. The information contained in this set	chedule is true t	to the best of my kno	wledge			
<ol> <li>I have submitted this application with</li> </ol>		-	-			
Date		Signature of Designe	er			
NOTE						

1. For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) d).of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.

2. Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario Association of Architects. Schedule 1 is also not required to be completed by a holder of a license to practise, a limited license to practise, or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.



## The Corporation of the Town of Fort Erie 1 Municipal Centre Drive Fort Erie, Ontario, L2A 2S6 Telephone: 905-871-1600 Facsimile: 905-871-6411 www.forterie.ca

## **APPLICATION FOR WATER METER**

PROPERTY INFORMATION	N						
Street Name:		House No. / Lot No.:					
Concession or Plan No:							
Description of Location:	(i.e. North/South/East/West Side of Road and/or near intersection and/or next to)						
Owner Name:							
Owner Address:							
Owner Telephone:		Email:					
Applicant Name:							
(If different than Owner)							
Applicant Address:							
Applicant Telephone:		Email:					

## ACKNOWLEDGEMENT AND ACCEPTANCE

BY MY SIGNATURE BELOW, I HEREBY AGREE TO PAY ALL FEES IN ADVANCE AND WHERE THE TOWN COSTS EXCEED ANY DEPOSITS, I HEREBY AGREE TO PAY BALANCE WITHIN THIRTY (30) DAYS FROM DATE OF INVOICE. I ALSO, HEREBY AGREE TO HAVE THE WATER METER AND REMOTE READER INSTALLED BY AN APPROVED PLUMBER.

Signature of	
Owner/Applicant:	
Date:	

## CONDITIONS OF PERMIT APPLICATION SUBMISSION

Please allow five (5) business days before picking up meter. Meters are to be picked up at the Gibson Centre, 1818 Pettit Road, Fort Erie, ON L2A 5M4.

A flat fee will be paid upon submission for application of building permit. This fee covers the cost of water used during new construction for a maximum period of **90 days** after the issuance of the building permit. You will need to contact the Building Department to arrange for the certification of the meter. Should certification not be done prior to this date, the monthly flat rate fee for water and sewer will be applied.

	FOR OFFICE USE ONLY					
Analization		New Meter		Roll Number:		
Application Purpose:		_		Account		
Fulpose.			Meter Replacement	Number:		
		_		Г	Meter(s) Requested:	
			Water and Sewer			
Account Type:			Water			
		Sewer				
	-		FEE CALCUL	ATION		
Pit Required:				Amount:		
Other:				Amount:		
				Sub Total:		
		HST (13%):				
			Grand			
				Total:		



## The Corporation of the Town of Fort Erie 1 Municipal Centre Drive Fort Erie, Ontario, L2A 2S6 Telephone: 905-871-1600 Facsimile: 905-871-6411 www.forterie.ca

## **APPLICATION FOR WATER METER**

	METER DETAILS (TO BE COMPLETED BY TOWN OF FORT ERIE WATER/WASTEWATER DEPARTMENT)									
	•									
METER REQ	UESTED:								COST:	
			UTILITIES	– WATER	/WAST	<b>EW</b>	ATER			
Serial Numb	er:					Regi	ister ID:			
				Comp	oleted	By:				
				METER PI	CK-UP					
Pick Up Date	e:				Pick	ed U	p By:			
					Regis	tere	d By:			
			ME	TER CERTI	FICATI	ON				
Seal No:			Reading:					Date:		
			Cer	tified By:						
		C	ORPORATE	E SERVICES	5 – WA	TER E	BILLING			
Meter ID:			Pro	cessed By	:					

### Service Installation Permits – where applicable

Every Owner wishing to contract with a qualified contractor to install and construct a water service connection shall complete and submit an application to the Infrastructure Services Department together with a non-refundable inspection fee established by the Town by bylaw from time to time.

The application form can be found at <u>https://forterie.ca/pages/EngineeringDivision</u> under 'Permits'. If you submit your application on an older form, we will return it to you and ask you to resubmit using the newest version of the form.

# Energy Efficiency Design Summary: Prescriptive Method (Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the prescriptive method described in Subsection 3.1.1. of SB-12. This form is applicable where the ratio of gross area of windows/sidelights/skylights/glazing in doors and sliding glass doors to the gross area of peripheral walls is not more than 22%.

	For use by Principal Authority							
Application No:	pplication No: Model							
A. Project Information								
Building number, street name					Unit number	Lot/Con		
Municipality	Postal c	code	Reg. PI	an number / other des	cription			
B. Prescriptive Compliand	Ce [indicate the	building code c	ompliance	package being en	nployed in this house o	design]		
SB-12 Prescriptive (input design					ble:	_		
C. Project Design Condition	s							
Climatic Zone (SB-1):		uipment Effi	ciency	Space Heatin	g Fuel Source			
Zone 1 (< 5000 degree days)	□ ≥ 92% AF			□ Gas	Propane	Solid Fuel		
□ Zone 2 (≥ 5000 degree days)	□ ≥ 84% < 9	92% AFUE		🗆 Oil	Electric	Earth Energy		
Ratio of Windows, Skylights & Glass	s (W, S & G) to	o Wall Area			g Characteristics			
Area of walls =m <sup>2</sup> orft <sup>2</sup>				□ Slab-on-grou	eam □ ICF Above und □ Walkout Ba ning □ Combo Uni	sement		
Area of W, S & G =m <sup>2</sup> <b>or</b> f	Utilize window	averaging: D	Yes ⊡No		Heat Pump (ASHP) rced Heat Pump (G			
D. Building Specifications [p	rovide values an	d ratings of the	energy ef	iciency componer	ts proposed]			
Energy Efficiency Substitutions								
□ ICF (3.1.1.2.(5) & (6) / 3.1.1.3.(5) &	(6))							
Combined space heating and dome	stic water heat	ting systems	(3.1.1.2.(	7) / 3.1.1.3.(7))				
Airtightness substitution(s)								
	3.1.1.4.B Red	quired:		Peri	nitted Substitution:			
Airtightness test required (Refer to Design Guide Attached)   Table		•						
	Rec	quired:		Permitted Substitution:				
Building Component	Minimum R	SI / R values m U-Value <sup>(1)</sup>		Building Cor		Efficiency Ratings		
Thermal Insulation	Nominal	Effective		ws & Doors	Provide U-Value <sup>(1)</sup> or ER	rating		
Ceiling with Attic Space			Window	ws/Sliding Glas	s Doors			
Ceiling without Attic Space			Skyligh	its/Glazed Roo	fs			
Exposed Floor			Mechanicals					
Walls Above Grade			Heating Equip.(AFUE)					
Basement Walls			HRV Efficiency (SRE% at 0°C)					
Slab (all >600mm below grade)				leater (EF)	,			
					# Showers			
Slab (edge only sooonin below grade)     Combined Heating System								
(1) U value to be provided in either W/(m <sup>2</sup> • <b>E. Designer(s)</b> [name(s) & BCIN(s						n meets the building code]		

dualified Designer Declaration of designer to have reviewed and take r	esponsibility for the design we	JR.
Name	BCIN	Signature

## Guide to the Prescriptive Energy Efficiency Design Summary Form

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

The building code permits a house designer to use one of four energy efficiency compliance options:

- 1. Comply with the <u>SB-12 Prescriptive</u> design tables (this form is for this option (Option 1)),
- 2. Use the <u>SB-12 Performance</u> compliance method, and model the design against the prescriptive standards,
- 3. Design to *Energy Star,* or
- 4. Design to R2000 standards.

#### COMPLETING THE FORM

#### **B.** Compliance Options

Indicate the compliance option being used.

• <u>SB-12 Prescriptive</u> requires that the building conforms to a package of thermal insulation, window and mechanical system efficiency requirements set out in Subsection 3.1.1. of SB-12. Energy efficiency design modeling and testing of the building is not required under this option. Certain substitutions are permitted. In which case, the applicable airtightness targets in Table 3.1.1.4.A must be met.

#### C. Project Design Conditions

*Climatic Zone:* The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 *Windows, Skylights and Glass Doors:* If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. If the ratio is more than 22%, the *SB-12 Prescriptive* option may not be used. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details. *Fuel Source and Heating Equipment Efficiency:* The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which <u>SB-12 Prescriptive</u> compliance package table applies. *Other Building Conditions:* These construction conditions affect <u>SB-12 Prescriptive</u> compliance requirements.

#### **D. Building Specifications**

*Thermal Insulation*: Indicate the RSI or R-value being proposed where they apply to the house design. Under the <u>SB-12 Prescriptive</u> option, alternative ICF wall insulation is permitted in certain conditions where other design elements meet higher standards. Refer to SB-12 for further details. Where effective insulation values are being used, the Authority Having Jurisdiction may require supporting documentation.

#### BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.1.4.A are not requirements. This provision is a voluntary provision for when credits for airtightness are claimed. Credit for air tightness allows the designer to substitute the requirements of compliance packages as set out in Table 3.1.1.4.B or 3.1.1.4.C. Neither the air leakage test nor compliance with airtightness targets given in Table 3.1.1.4.A are required, unless credit for airtightness is claimed. Table 3.1.1.4.A provides airtightness targets in three different metrics; ACH, NLA, NLR. Any one of them can be used. OBC Reference Default Air Leakage Rates (Table 3.1.1.4.A)

Duilding Tung	Airtightness Targets					
Building Type	ACH @ 50 Pa	NLA @	2 10 Pa	NLR @ 50 Pa		
Detached dwelling	2.5	1.26 cm <sup>2</sup> /m <sup>2</sup>	1.81 in <sup>2</sup> /100ft <sup>2</sup>	0.93 L/s/m <sup>2</sup>	0.18 cfm50/ft <sup>2</sup>	
Attached dwelling	3.0	2.12 cm <sup>2</sup> /m <sup>2</sup>	3.06 in <sup>2</sup> /100ft <sup>2</sup>	1.32 L/s/m <sup>2</sup>	0.26 cfm50/ft <sup>2</sup>	

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Prescriptive</u> option with airtightness credit being applied. Results of the airtightness test may need to be submitted to the Authority Having Jurisdiction. Airtightness of less than 2.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of attached houses is necessary to meet the required energy efficiency standard.

#### E. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.



## Radon Mitigation – 2024 Ontario Building Code Part 9 Building – Residential Occupancy

## Property Address\_

Please indicate which system/installation will be utilized on your project.

Rough-In – Subfloor De	nvaaauvinatian Daa	مستلماتينا المسمؤ لمستبيب
Rougn-in – Suppor De	oressurization = Rec	juired for all buildings.
		lan oa ioi an sananigoi

•	Minimum 100 mm (4") pipe installed at or near center of floor area
•	Increase amount of granular under the floor at pipe inlet location
•	Pipe to extend above floor with removable cap. Pipe and/or cap must be
	clearly labelled for removal of Radon

## 

## Full Installation – Subfloor Depressurization – Optional

Minimum 100 mm (4') pipe installed at or near centre of floor area
<ul> <li>Increase amount of granular under the floor at pipe inlet location</li> </ul>
Pipe extended to exterior of the building
System must include an in-line fan

Where a full depressurization system is installed, measures shall be taken to ensure that any resultant decrease in soil temperature will not adversely affect the foundation.

## NOTE: A Soil Gas Barrier System is required for all buildings as per 9.25.3 or SB-9.

Please select the option that will be utilized on this project:

□6 mil poly under concrete floor	
$\Box$ 6 mil poly between concrete floor and separate floor over the slab	

## NOTE: Perimeter of concrete slab and all penetrations through the slab shall be sealed.

Date